

ANT PCB 850/900/1800/1900/2100MHz 0dBi IPEX CON 41



HG821-00PU-100IPEX

Features

- Highly efficient printed circuit board (PCB) design
- Designed for omni-directional applications
- Low profile, compact size
- IPEX connector

Applications

- Integrate into self contained wireless equipment
- Embedded applications requiring integration flexibility
- Multiband cellular frequencies

Description

The HG821-00PU-100IPEX is a multiband omnidirectional antenna designed to integrate into devices requiring wireless capability. By embedding these antennas directly into a device, the need for external antennas is eliminated. The omni-directional radiation pattern makes it ideal for multipoint and mobile wireless systems.

Configuration

| | |
|----------------|--------|
| Cable Type | 1.13mm |
| Connector Type | IPEX |

Electrical Specifications

| Description | Minimum | Typical | Maximum | Units |
|-------------|---------|---------|---------|-------|
| Input VSWR | | | 2.5:1 | |
| Impedance | | 50 | | Ohms |
| Gain | | | 0 | |

Specifications by Band

| Description | Band 1 | Band 2 | Band 3 | Band 4 | Band 5 | Units |
|-------------|---------|-------------|--------|--------|--------|-------|
| Range | 824-960 | 1,710-2,200 | | | | MHz |

Mechanical Specifications

| | |
|-------------|---------------------|
| Size | |
| Length | 1.61417 in [41 mm] |
| Width | 0.433071 in [11 mm] |

Environmental Specifications

| | |
|--------------------|------------------|
| Temperature | |
| Operating Range | -30 to +85 deg C |

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications:
[ANT PCB 850/900/1800/1900/2100MHz 0dBi IPEX CON 41 HG821-00PU-100IPEX](#)

ANT PCB 850/900/1800/1900/2100MHz 0dBi IPEX CON 41

HG821-00PU-100IPEX



Compliance Certifications (see [product page](#) for current document)

Plotted and Other Data

Notes:

ANT PCB 850/900/1800/1900/2100MHz 0dBi IPEX CON 41 from L-com has same day shipment for domestic and International orders. Our portfolio includes coaxial cable assemblies, connectors, adapters and custom products as well as lightning and surge protectors, NEMA rated enclosures, and an RF product line which includes antennas, amplifiers, passive, and active components.

The information contained within this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part in order to impliment improvements. L-com reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. L-com does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and L-com does not assume liability arising out of the use of any part or document.

L-com CAD Drawing

